

PILOT
POWER



Pressure
Cleaning Gun

PCG-01

Service sheet & list of spare parts

CE
Conformity to
European Standards

1. Please Read Prior to Use

- Read instructions before commissioning, especially the safety instructions.
- If while unpacking you notice any transport damages, notify your supplier and do not use the air tool.
- Take to a proper collection point and dispose the packing in an environment friendly manner.
- Keep instructions for future use.
- If you lend or sell this air tool make sure that the instructions go along with it.

2. Specified Conditions of Use

Pressure Cleaning Gun is a handy tool which can be used to direct high pressure water streams/ jets for cleaning surfaces and for numerous other purposes.

3. Safety Instructions

Protect yourself and your environment by taking suitable precautions so as to avoid accidents.

- Do not use the Pressure Cleaning Gun for any other purpose that it is not intended for.
- Ensure good ventilation of the work area.
- Wear protective clothing, especially safety glasses and gloves.
- Do not exceed the maximum working pressure.
- Never direct the Pressure Cleaning Gun towards /against other human beings or animals.
- Keep out of children's reach.
- Connect to high pressure pump with suitable hose.
- Water flow can be set by means of a filter/ flow control knob.
- Disconnect from water source before servicing.

4. Initial Operation

1. Connect Pressure Cleaning Gun to a suitable pressure pump. Use a flexible hose fitted with a hose coupling.
2. Start operation by adjusting flow control knob
3. The high pressure water jet is directed onto the desired surface for cleaning.

5. Technical Specifications

Working pressure	40 kg/cm ²
Discharge Rate	8.5-28 l/min.
Weight	536 gms.

Manufactured by:

Manik Radiators Pvt. Ltd.

Shed No.3, Plot No. 126/1 2B, Village Horale, Khopoli Pen Road,
Khalapur, Raigad 410203, Maharashtra, INDIA Tel.: +91 22 660 47 000
E-mail: info@pilotindia.com • www.pilotindia.com